ELSEVIER

Physica C 271 (1996) 375–377

PHYSICA C

Author Index to Volume 371

Abell, J.S., see Langhorn, J., **271**, 164
Aburto, A. and L. Fruchter, Flux line pinning in the organic superconductor κ-(BEDT-TTF)$_2$Cu[N(CN)$_2$]Br, **271**, 214
Akimitsu, J., see Sato, M., **271**, 79
Alexandre, E., see Bordet, P., **271**, 189
Alff, L., U. Schoop, R. Gross, R. Gerber and A. Beck, Ramp-edge Josephson junctions with $Nd_{1.85}Ce_{0.15}CuO_{4-y}$ barriers, **271**, 339
Alyoshin, V.A., D.A. Mikhailova and E.V. Antipov, Synthesis of $HgBa_2CuO_{4+\delta}$ under controlled mercury and oxygen pressures, **271**, 197
Angurel, L.A., see Martínez, E., **271**, 133
Antipov, E.V., see Alyoshin, V.A., **271**, 197
Antipov, E.V., see Bordet, P., **271**, 189

Bade, T., P.G. McCafferty, C. Rea, P. Dawson, R.J. Wallace, R.M. Bowman, D.G. Walmsley and J.H. Clark, Temperature dependence of the mid-infrared dielectric function of YBCO in the *ab* plane, **271**, 298
Baggio-Saitovitch, E.M., see Zeng, Z., **271**, 23
Bao, X.Z., J. Nyhus, Y. Maeno, Y. Tanaka, S. Sakita and T. Fujita, Relation between transport, structural and superconductive properties in $La_{2-x-y}Nd_yBa_xCuO_4$, **271**, 256
Baquero, R., D. Quesada and C. Trallero-Giner, BCS-universal ratios within the Van Hove scenario, **271**, 122
Beck, A., see Alff, L., **271**, 339
Belevtsov, L.V., S.S. Shevchenko and V.N. Tulupenko, Critical current of oriented high-T_c superconductors, **271**, 235
Belouet, C., see Chambonnet, D., **271**, 67
Bertinotti, A., see Le Bras, G., **271**, 205
Bhasale, R., see Horvat, J., **271**, 51
Bi, Y.J., see Langhorn, J., **271**, 164
Bordet, P., F. Duc, S. LeFloch, J.J. Capponi, E. Alexandre, M. Rosa-Nunes, S. Putilin and E.V. Antipov, Single crystal X-ray diffraction study of the $HgBa_2CuO_{4+\delta}$ superconducting compound, **271**, 189
Boulter, C.J. and J.O. Indekeu, Analytic determination of the interface delocalization transition in low-κ superconductors, **271**, 94
Bowman, R.M., see Bade, T., **271**, 298
Buder, R., see Thrane, B.P., **271**, 147

Capponi, J.J., see Bordet, P., **271**, 189
Carru, J.C., see Chambonnet, D., **271**, 67
Cava, R.J., see Huang, Q., **271**, 311
Chaddah, P., see Roy, S.B., **271**, 181
Chakoumakos, B.C., see Huang, Q., **271**, 311
Chambonnet, D., F. Mehri, S. Degoy, P. Lederer, C. Belouet, C. Fages, D. Keller, J.C. Carru and L. Correra, Microwave properties of $YBa_2Cu_3O_{7-\delta}$ thin films grown on MgO or Al_2O_3 substrates, **271**, 67
Chen, Q., see Zhang, Q.M., **271**, 11
Chernov, V.A., see Ignatov, A.Yu., **271**, 32
Cho, S. and D. Choi, Microwave properties of $YBa_2Cu_3O_{7-x}$ resonator under optical and thermal perturbations, **271**, 319
Choi, D., see Cho, S., **271**, 319
Clark, J.H., see Bade, T., **271**, 298
Colson, D., see Le Bras, G., **271**, 205
Condorelli, G.G., see Miletto Granozio, F., **271**, 83
Correra, L., see Chambonnet, D., **271**, 67

Dawson, P., see Bade, T., **271**, 298
Degoy, S., see Chambonnet, D., **271**, 67
Díez, J.C., see Martínez, E., **271**, 133
Dittrich, P., see Veneva, A., **271**, 230
Dou, S.X., see Horvat, J., **271**, 51
Dou, S.X., see Horvat, J., **271**, 59
Du, G., see Mironova, M., **271**, 15
Duc, F., see Bordet, P., **271**, 189
Dumas, J., see Thrane, B.P., **271**, 147

Eckart, D.W., see Wu, J.Z., **271**, 1
Ellis, D.E., see Zeng, Z., **271**, 23

Fages, C., see Chambonnet, D., **271**, 67
Filatov, A.V. and S.F. Konovalov, Low-hysteresis interaction of a hard type II superconductor with a permanent magnet, **271**, 225
Fishman, I.M., W.R. Studenmund, G.S. Kino and J. Giapintzakis, Photothermal measurements of differential reflectivity of YBCO related to the symmetry of the superconducting order parameter, **271**, 286
Flükiger, R., see Grindatto, D.P., **271**, 155
Forget, A., see Le Bras, G., **271**, 205
Fragalà, I.L., see Miletto Granozio, F., **271**, 83
Fruchter, L., see Aburto, A., **271**, 214
Fruchter, L., see Le Bras, G., **271**, 205
Fujita, T., see Bao, X.Z., **271**, 256

Gerber, R., see Alff, L., **271**, 339
Giapintzakis, J., see Fishman, I.M., **271**, 286
Grasso, G., see Grindatto, D.P., **271**, 155
Grindatto, D.P., B. Hensel, G. Grasso, H.-U. Nissen and R. Flükiger, TEM Study of twist boundaries and colony boundaries in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ silver-sheathed tapes, **271**, 155
Gross, R., see Alff, L., **271**, 339
Guenzburger, D., see Zeng, Z., **271**, 23
Günther, W. and R. Schöllhorn, Insertion of water into rare earth oxocuprates $(Ln)Ba_2Cu_3O_{7-\delta}$, **271**, 241
Guo, Y.C., see Horvat, J., **271**, 59

Hammann, J., see Le Bras, G., **271**, 205
Hangyo, M., see Nagashima, T., **271**, 365
Harada, S., see Nagashima, T., **271**, 365
Hensel, B., see Grindatto, D.P., **271**, 155
Hervieu, M., see Michel, C., **271**, 111
Hirakawa, K., see Zheng, X.G., **271**, 272
Horvat, J., S.X. Dou, H.K. Liu and R. Bhasale, Critical currents through strong links in Ag/Bi–Sr–Ca–Cu–O superconducting tapes, **271**, 51
Horvat, J., Y.C. Guo and S.X. Dou, Formation of weak and strong links in Ag/Bi-2223 superconducting tapes, **271**, 59
Huang, Q., J.W. Lynn, A. Santoro, B.C. Chakoumakos, R.J. Cava, J.J. Krajewski and W.F. Peck, Jr., Neutron powder diffraction study of the nuclear and magnetic structures of $HoNi_{1.985}Co_{0.015}B_2C$ and HoNiBC, **271**, 311
Huang, T., L. Yu, Y. Zhang, M. Itoh, J.D. Yu, Y. Inaguma and T. Nakamura, Hall coefficient and resistivity measurements for oxygen-annealed $Bi_{2.2}Sr_{1.8}CaCu_2O_{8+y}$ single crystals under pressure, **271**, 103
Huang, Y.N., see Zhang, Q.M., **271**, 11
Huvé, M., see Michel, C., **271**, 111

Ignatov, A.Yu., A.P. Menushenkov and V.A. Chernov, Influence of oxygen deficiency on the electronic and local structure of $BaPb_{1-x}Bi_xO_{3-\delta}$ and $Ba_{0.6}K_{0.4}BiO_{3-\delta}$ superconducting oxides: an X-ray absorption study, **271**, 32
Ikeda, H., see Yoshizaki, R., **271**, 171
Inaguma, Y., see Huang, T., **271**, 103
Indekeu, J.O., see Boulter, C.J., **271**, 94
Ishibashi, T. and O. Yoda, Structural defects in $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$ $(n = 2,3)$ superconductors induced by 3 MeV electron irradiation, **271**, 291
Itoh, M., see Huang, T., **271**, 103
Ivanov, V., Insulator–metal transition in the κ-ET_2X salts, where "ET" is the bis(ethylenedithio)tetrathiafulvalene-(BEDT-TTF) molecule, **271**, 127

Je, J.H., see Shim, C.-H., **271**, 356
Jha, P.K. and S.P. Sanyal, Phonon spectrum and lattice specific heat of the $HgBa_2CuO_4$ high-temperature superconductor, **271**, 6
Jiang, S.S., see Wu, X.S., **271**, 331

Keller, D., see Chambonnet, D., **271**, 67
Kimura, T., see Okuya, M., **271**, 265
Kino, G.S., see Fishman, I.M., **271**, 286
Kishio, K., see Okuya, M., **271**, 265
Kitazawa, K., see Okuya, M., **271**, 265
Konovalov, S.F., see Filatov, A.V., **271**, 225
Krajewski, J.J., see Huang, Q., **271**, 311
Kuriyaki, H., see Zheng, X.G., **271**, 272

Langhorn, J., Y.J. Bi and J.S. Abell, Platinum group metals as flux pinning additions in screen printed superconducting $YBa_2Cu_3O_{7-\delta}$ thick films, **271**, 164
Le Bras, G., L. Fruchter, V. Vulcanescu, V. Viallet, A. Bertinotti, A. Forget, J. Hammann, J.-F. Marucco and D. Colson, Superconducting properties and anisotropy of a $HgBa_2CuO_{4+\delta}$ single crystal, **271**, 205
Lederer, P., see Chambonnet, D., **271**, 67
LeFloch, S., see Bordet, P., **271**, 189
Lera, F., see Martínez, E., **271**, 133
Lin, J., see Wu, X.S., **271**, 331
Liu, H.K., see Horvat, J., **271**, 51
Lynn, J.W., see Huang, Q., **271**, 311

Maeno, Y., see Bao, X.Z., **271**, 256
Maignan, A., see Michel, C., **271**, 111
Malandrino, G., see Miletto Granozio, F., **271**, 83
Mao, Z.-Q., see Wu, X.S., **271**, 331
Mao, Z.-Q., see Xu, G.-J., **271**, 251
Martin, C., see Michel, C., **271**, 111
Martínez, E., L.A. Angurel, J.C. Díez, F. Lera and R. Navarro, Magnetic relaxation of highly textured $Bi_2Sr_2CaCu_2O_{8+\delta}$ polycrystalline fibres, **271**, 133
Marucco, J.-F., see Le Bras, G., **271**, 205
McCafferty, P.G., see Bade, T., **271**, 298
Mehri, F., see Chambonnet, D., **271**, 67
Meilikhov, E.Z., Modified dislocation model of intergrain tilt boundaries in HTSC, **271**, 277
Menushenkov, A.P., see Ignatov, A.Yu., **271**, 32
Michel, C., M. Hervieu, C. Martin, A. Maignan, M. Huvé and B. Raveau, Modulated ordering of bismuth and strontium in the "1201"cuprate $(Tl_{2/3}Bi_{1/3})_{0.97}Sr_{1.86}Bi_{0.14}CuO_{5-\delta}$, **271**, 111
Mikhailova, D.A., see Alyoshin, V.A., **271**, 197
Miletto Granozio, F., U. Scotti di Uccio, M. Valentino, G.G. Condorelli, I.L. Fragalà and G. Malandrino, Morphology and surface properties of YBCO and TBCCO thin films: influence of etching processes, **271**, 83
Mironova, M., G. Du, I. Rusakova and K. Salama, Transmission electron microscopy studies of low-angle grain boundary interactions in melt-textured $YBa_2Cu_3O_{7-x}$, **271**, 15
Miyazawa, S., see Nagashima, T., **271**, 365
Môri, N., see Sato, M., **271**, 79
Mukaida, M., see Nagashima, T., **271**, 365

Nagashima, T., S. Harada, M. Hangyo, S. Nakashima, M. Mukaida and S. Miyazawa, Inter-plane electromagnetic response of *a*-axis oriented YBCO films in the millimeter-wave region, **271**, 365

Nakamura, T., see Huang, T., **271**, 103
Nakashima, S., see Nagashima, T., **271**, 365
Naughton, M.J., see Veneva, A., **271**, 230
Navarro, R., see Martínez, E., **271**, 133
Nissen, H.-U., see Grindatto, D.P., **271**, 155
Nyhus, J., see Bao, X.Z., **271**, 256

Okuya, M., T. Sasagawa, T. Kimura, J.-i. Shimoyama, K. Kitazawa and K. Kishio, The second peak effect observed in Sr-overdoped $(La_{1-x}Sr_x)_2CuO_{4-\delta}$ single crystals with various oxygen deficiencies δ, **271**, 265
Ono, A. and M. Tsutsumi, Composition dependence of the critical temperature in superconducting Ga-1212 $GaSr_2Tm_{1-x}Ca_xCu_2O_7$, **271**, 325

Pan, F.M., see Wu, X.S., **271**, 331
Parikh, A., see Sathyamurthy, S., **271**, 349
Peck, Jr., W.F., see Huang, Q., **271**, 311
Petrov, D.K., see Veneva, A., **271**, 230
Pradhan, A.K., see Roy, S.B., **271**, 181
Putilin, S., see Bordet, P., **271**, 189

Quesada, D., see Baquero, R., **271**, 122

Raveau, B., see Michel, C., **271**, 111
Rea, C., see Bade, T., **271**, 298
Rosa-Nunes, M., see Bordet, P., **271**, 189
Roy, S.B., A.K. Pradhan and P. Chaddah, On the anomalous magnetic properties of superconducting $CeRu_2$, **271**, 181
Rusakova, I., see Mironova, M., **271**, 15

Sakita, S., see Bao, X.Z., **271**, 256
Salama, K., see Mironova, M., **271**, 15
Salama, K., see Sathyamurthy, S., **271**, 349
Santoro, A., see Huang, Q., **271**, 311
Sanyal, S.P., see Jha, P.K., **271**, 6
Sasagawa, T., see Okuya, M., **271**, 265
Sathyamurthy, S., A. Parikh and K. Salama, Processing of polycrystalline HTS for high current transport applications, **271**, 349
Sato, M., J. Akimitsu, H. Takahashi and N. Môri, Effect of high pressure on T_c of a homologous series of oxycarbonate superconductors $Sr_2(Ca,Sr)_{n-1}Cu_n(CO_3)_{1-x}(BO_3)_xO_y$ (n = 1, 2) and $Ba_2Ca_2Cu_3(CO_3)_{1-x}(BO_3)_xO_y$, **271**, 79
Schlenker, C., see Thrane, B.P., **271**, 147
Schöllhorn, R., see Günther, W., **271**, 241
Schoop, U., see Alff, L., **271**, 339
Scotti di Uccio, U., see Miletto Granozio, F., **271**, 83
Shao, H.M., see Zhang, Q.M., **271**, 11
Shen, H.M., see Zhang, Q.M., **271**, 11
Shevchenko, S.S., see Belevtsov, L.V., **271**, 235
Shim, C.-H., W.S. Yang and J.H. Je, Effect of a shield on the formation of the superconducting phases in the Bi-Sr-Ca-Cu-O film deposited by *off-axis* sputtering, **271**, 356
Shimoyama, J.-i., see Okuya, M., **271**, 265
Studenmund, W.R., see Fishman, I.M., **271**, 286
Suzuki, M., see Zheng, X.G., **271**, 272

Takahashi, H., see Sato, M., **271**, 79
Tanaka, Y., see Bao, X.Z., **271**, 256
Thalmeier, P., Erratum to "Low-energy Nd spin waves in noncollinear Nd_2CuO_4" [Physica C 266 (1996) 89–103], **271**, 373
Thrane, B.P., J. Dumas, C. Schlenker and R. Buder, Field modulated microwave absorption and irreversibility line in $YBa_2Cu_3O_7$ thin films, **271**, 147
Tian, M.-L., see Xu, G.-J., **271**, 251
Tidrow, S.C., see Wu, J.Z., **271**, 1
Trallero-Giner, C., see Baquero, R., **271**, 122
Tsutsumi, M., see Ono, A., **271**, 325
Tulupenko, V.N., see Belevtsov, L.V., **271**, 235

Valentino, M., see Miletto Granozio, F., **271**, 83
Veneva, A., D.K. Petrov, P. Dittrich and M.J. Naughton, AC susceptibility and microstructure of alkali doped polycrystalline YBCO HTSC materials, **271**, 230
Viallet, V., see Le Bras, G., **271**, 205
Vulcanescu, V., see Le Bras, G., **271**, 205

Wallace, R.J., see Bade, T., **271**, 298
Walmsley, D.G., see Bade, T., **271**, 298
Wang, Y.N., see Zhang, Q.M., **271**, 11
Wu, J.Z., S.H. Yun, S.C. Tidrow and D.W. Eckart, Microstructures of mercury-based cuprate thin films, **271**, 1
Wu, X.S., S.S. Jiang, F.M. Pan, J. Lin, N. Xu, Z.-Q. Mao, G.-J. Xu and Y.-H. Zhang, Microstructures of $La_{1.85}Sr_{0.15}CuO_4$ doped with Ni at high doping level, **271**, 331

Xu, C., see Zheng, X.G., **271**, 272
Xu, G.-J., Z.-Q. Mao, M.-L. Tian and Y.-H. Zheng, Study of the microstructure and normal-state transport properties in the $Bi_{1.9}Sr_{1.6}La_{0.4}CuO_y$ system, **271**, 251
Xu, G.-J., see Wu, X.S., **271**, 331
Xu, N., see Wu, X.S., **271**, 331

Yang, W.S., see Shim, C.-H., **271**, 356
Yoda, O., see Ishibashi, T., **271**, 291
Yoshizaki, R. and H. Ikeda, Negative out-of-plane magnetoresistance of $Bi_2(Sr,La)_2CuO_{6+\delta}$ single crystals, **271**, 171
Yu, J.D., see Huang, T., **271**, 103
Yu, L., see Huang, T., **271**, 103
Yun, S.H., see Wu, J.Z., **271**, 1

Zeng, Z., D. Guenzburger, D.E. Ellis and E.M. Baggio-Saitovitch, Effect of magnetism on superconductivity in rare-earth compounds $RENi_2B_2C$, **271**, 23
Zhang, Q.M., H.M. Shao, Y.N. Huang, Q. Chen, H.M. Shen and Y.N. Wang, Elastic anomalies in single-phase $HgBa_2Ca_2Cu_3O_{8+\delta}$, **271**, 11
Zhang, Y., see Huang, T., **271**, 103
Zhang, Y.-H., see Wu, X.S., **271**, 331
Zheng, X.G., M. Suzuki, C. Xu, H. Kuriyaki and K. Hirakawa, Synthesis of Ca-substituted $Y_{1-x}Ca_xBa_2Cu_4O_8$ at ambient pressure using CuI, **271**, 272
Zheng, Y.-H., see Xu, G.-J., **271**, 251

ELSEVIER

Physica C 271 (1996) 378–379

PHYSICA C

Analytic Subject Index to Volume 271

AC susceptibility
–of $Y_{(1-0.2x)}Ba_{(2-0.2x)}K_xCu_3O_y$ 230
AC-susceptibility
–of $LnBa_2Cu_3O_{7-\delta}$ 241
Activation energy 214
Anisotropy
–of $HgBa_2CuO_{4+\delta}$ single crystal 205
Antiferromagnetic order
–in $RENi_2B_2C$ 23

BCS model 122
BCS-Universal ratios 122
Band structure 127

Charge distribution
–in $(Tl_{2/3}Bi_{1/3})_{0.97}Sr_{1.86}Bi_{0.14}CuO_{5-\delta}$ 111
Conductivity
–of $YBa_2Cu_3O_{7-\delta}$ thin films 67
Creep model 214
Critical current density 235, 277, 339
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ silver-sheathed tapes 155
–of Ag/Bi-2223 tapes 59
–of Ag/Bi-Sr-Ca-Cu-O tapes 51
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ polycrystalline fibres 133
–of $Y_{(1-0.2x)}Ba_{(2-0.2x)}K_xCu_3O_y$ 230
–of $YBa_2Cu_3O_{7-\delta}$ thick films 164

Defect structures
–in $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$ 291
Delocalization transition 94
Dislocation 277
Dislocations
–in $YBa_2Cu_3O_{7-x}$ 15

EDX
–of $GaSr_2Tm_{1-x}Ca_xCu_2O_7$ 325
Effect
–in $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$ 291
Elastic properties
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ 11
Electrical resistivity
–of $Bi_{1.9}Sr_{1.6}La_{0.4}CuO_y$ 251
–of $Bi_{2.2}Sr_{1.8}CaCu_2O_{8+y}$ single crystals 103
–of $Bi_2(Sr,La)_2CuO_{6+\delta}$ single crystals 171
–of $La_{1.85}Sr_{0.15}Cu_{1-y}Ni_yO_4$ 331
–of $La_{2-x-y}Nd_yBa_xCuO_4$ 256
–of $Y_{1-x}Ca_xBa_2Cu_4O_8$ 272
Electronic structure
–of $Ba_{0.6}K_{0.4}BiO_{3-\delta}$ 32
–of $BaPb_{1-x}Bi_xO_{3-\delta}$ 32
–of $RENi_2B_2C$ 23
Energy gap 127

FFLO state 181
Flux creep
–in Ag/Bi-Sr-Ca-Cu-O tapes 51
Flux lattice 147
Flux pinning
–in κ-(BEDT-TTF)$_2$Cu[N(CN)$_2$]Br single crystal 214
–in $Bi_2Sr_2CaCu_2O_{8+\delta}$ polycrystalline fibres 133
–in $YBa_2Cu_3O_7$ thin films 147
–in $YBa_2Cu_3O_{7-\delta}$ thick films 164
–in $YBa_2Cu_3O_{7-x}$ 15

Ginzburg Landau theory 94
Grain boudaries 59
Grain boundaries 51, 230
–in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ silver-sheathed tapes 155
–in $YBa_2Cu_3O_{7-x}$ 15
Granular superconductivity 235

HREM
–of $(Tl_{2/3}Bi_{1/3})_{0.97}Sr_{1.86}Bi_{0.14}CuO_{5-\delta}$ 111
Hall effect
–in $Bi_{2.2}Sr_{1.8}CaCu_2O_{8+y}$ single crystals 103
High pressure effect
–of $Bi_{2.2}Sr_{1.8}CaCu_2O_{8+y}$ single crystals 103
High-oxygen-pressure 325
Hubbard Hamiltonian 127
Hysteresis interaction 225

I-V characteristics 349
Infrared spectroscopy
–of YBCO 298
Inter-plane complex conductivity 365
–of $YBa_2Cu_3O_{7-\delta}$ thin films 365
Irradiation effect
–of $YBa_2Cu_3O_{7-x}$ thin films 319
Irreversibility field
–in $(La_{1-x}Sr_x)_2CuO_{4-\delta}$ single crystals 265
Irreversibility line
–in $YBa_2Cu_3O_7$ thin films 147

Josephson junctions 339

London penetration depth
–in $YBa_2Cu_3O_{7-\delta}$ thin films 365
Low-κ superconductors 94

Magnetic relaxation
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ polycrystalline fibres 133
Magnetization
–of $CeRu_2$ 181
–of $HgBa_2CuO_{4+\delta}$ single crystal 205
Magneto-transport
–of $Bi_2(Sr,La)_2CuO_{6+\delta}$ single crystals 171
Magnetoresistance
–of $Bi_2(Sr,La)_2CuO_{6+\delta}$ single crystals 171
Melt texturing 349
Melt-texturing
–of $YBa_2Cu_3O_{7-x}$ 15
Mercury partial pressure 197
Metal–insulator transition 127
Microstructure 349
–of HG1223 thin films 1
–of $La_{1.85}Sr_{0.15}Cu_{1-y}Ni_yO_4$ 331
–of $Y_{(1-0.2x)}Ba_{(2-0.2x)}K_xCu_3O_y$ 230
Microwave absorption
–of $YBa_2Cu_3O_7$ thin films 147

Microwave properties
–of $YBa_2Cu_3O_{7-\delta}$ thin films 67
Mixed state 147
Modulation structure
–of $Bi_{1.9}Sr_{1.6}La_{0.4}CuO_y$ 251

Neutron diffraction
–of $HoNi_{1.985}Co_{0.015}B_2C$ 311
–of HoNiBC 311

Optical reflectivity
–of YBCO 286
–of YBCO 298
Organic conductors 127
Oxygen deficiency 32
–in $(La_{1-x}Sr_x)_2CuO_{4-\delta}$ single crystals 265
Oxygen stoichiometry
–in $HgBa_2CuO_{4+\delta}$ 197

Pair breaking
–in $YBa_2Cu_3O_{7-x}$ thin films 319
Penetration depth
–in $HgBa_2CuO_{4+\delta}$ single crystal 205
Permanent magnet 225
Phase diagram
–of $CeRu_2$ 181
Phase transformation 356
Phonon spectrum
–of $HgBa_2CuO_4$ 6
Plasmon mechanism 298
Platinum addition
–in $YBa_2Cu_3O_{7-\delta}$ thick films 164
Pressure dependence of T_c 79

Resonant tunneling 339

SEM
–of HG1223 thin films 1
–of TBCCO films 83
–of YBCO films 83
Second peak field
–of $(La_{1-x}Sr_x)_2CuO_{4-\delta}$ single crystals 265
Specific heat
–of $HgBa_2CuO_4$ 6
Spin density 23
Spin gap 251
–in $Bi_2(Sr,La)_2CuO_{6+\delta}$ single crystals 171
Strong links
–in Ag/Bi-2223 tapes 59
Structural phase transition
–in $La_{2-x-y}Nd_yBa_xCuO_4$ 256
Structure
–of $(Tl_{2/3}Bi_{1/3})_{0.97}Sr_{1.86}Bi_{0.14}CuO_{5-\delta}$ 111
–of $HgBa_2CuO_{4+\delta}$ single crystal 189
–of $HoNi_{1.985}Co_{0.015}B_2C$ 311
–of HoNiBC 311
–of $LnBa_2Cu_3O_{7-\delta}$ 241
–of $Y_{1-x}Ca_xBa_2Cu_4O_8$ 272
Substitution effects
–in $Y_{(1-0.2x)}Ba_{(2-0.2x)}K_xCu_3O_y$ 230
Superconducting *pn*-junction 339
Superconducting order parameter 286
Surface morphology
–of HG1223 thin films 1
Surface properties
–of TBCCO films 83
–of YBCO films 83
Susceptibility under pressure
–of $Ba_2Ca_{n-1}Cu_n(CO_3)_{1-x}(BO_3)_xO_y$ 79
–of $Sr_2(Ca,Sr)_{n-1}Cu_n(CO_3)_{1-x}(BO_3)_xO_y$ 79
Synthesis
–of $(Tl_{2/3}Bi_{1/3})_{0.97}Sr_{1.86}Bi_{0.14}CuO_{5-\delta}$ 111
–of Bi-Sr-Ca-Cu-O film 356
–of $GaSr_2Tm_{1-x}Ca_xCu_2O_7$ 325
–of $HgBa_2CuO_{4+\delta}$ 197
–of $La_{1.85}Sr_{0.15}Cu_{1-y}Ni_yO_4$ 331
–of $LnBa_2Cu_3O_{7-\delta}$ 241
–of $Y_{1-x}Ca_xBa_2Cu_4O_8$ 272
–of $YBa_2Cu_3O_{7-\delta}$ thin films 67

Thermal expansion 11
Thermoelectric power 251, 256
Thin film 356
Tilt boundary 277
Transmission electron microscopy
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ silver-sheathed tapes 155

Upper critical field Hc2
–of $HgBa_2CuO_{4+\delta}$ single crystal 205

Valence state 32
Van Hove Scenario 122

Weak coupling 235
Weak links 230
–in Ag/Bi-Sr-Ca-Cu-O tapes 51

X-ray diffraction
–of Bi-Sr-Ca-Cu-O film 356
–of $HgBa_2Ca_2Cu_3O_{8+\delta}$ 11
–of $HgBa_2CuO_{4+\delta}$ single crystal 189
X-ray line broadening analysis 291
XAFS
–of $Ba_{0.6}K_{0.4}BiO_{3-\delta}$ 32
–of $BaPb_{1-x}Bi_xO_{3-\delta}$ 32

ELSEVIER

Physica C 271 (1996) 380–381

PHYSICA C

Materials Index to Volume 271

Ag/Bi-2223 tapes
–critical current density 59
–strong links 59
Ag/Bi-Sr-Ca-Cu-O tapes
–critical current density 51
–flux creep 51
–weak links 51

$Ba_{0.6}K_{0.4}BiO_{3-\delta}$
–electronic structure 32
–xAFS 32
$Ba_2Ca_{n-1}Cu_n(CO_3)_{1-x}(BO_3)_xO_y$
–susceptibility under pressure 79
$BaPb_{1-x}Bi_xO_{3-\delta}$
–electronic structure 32
–xAFS 32
κ-$(BEDT\text{-}TTF)_2Cu[N(CN)_2]Br$ single crystal
–flux pinning 214
$(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ silver-sheathed tapes
–critical current density 155
–grain boundaries 155
–transmission electron microscopy 155
Bi-Sr-Ca-Cu-O film
–synthesis 356
–x-ray diffraction 356
$Bi_{1.9}Sr_{1.6}La_{0.4}CuO_y$
–electrical resistivity 251
–modulation structure 251
$Bi_{2.2}Sr_{1.8}CaCu_2O_{8+y}$ single crystals
–electrical resistivity 103
–hall effect 103
–high pressure effect 103
$Bi_2(Sr,La)_2CuO_{6+\delta}$ single crystals
–electrical resistivity 171
–magneto-transport 171
–magnetoresistance 171
–spin gap 171
$Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$
–defect structures 291
–effect 291
$Bi_2Sr_2CaCu_2O_{8+\delta}$ polycrystalline fibres
–critical current density 133
–flux pinning 133
–magnetic relaxation 133

$CeRu_2$
–magnetization 181
–phase diagram 181

$GaSr_2Tm_{1-x}Ca_xCu_2O_7$
–eDX 325
–synthesis 325

HG1223 thin films
–microstructure 1
–sEM 1
–surface morphology 1
$HgBa_2Ca_2Cu_3O_{8+\delta}$
–elastic properties 11
–x-ray diffraction 11
$HgBa_2CuO_{4+\delta}$ single crystal
–anisotropy 205
–magnetization 205
–penetration depth 205
–structure 189
–upper critical field Hc2 205
–x-ray diffraction 189
$HgBa_2CuO_{4+\delta}$
–oxygen stoichiometry 197
–synthesis 197
$HgBa_2CuO_4$
–phonon spectrum 6
–specific heat 6
$HoNi_{1.985}Co_{0.015}B_2C$
–neutron diffraction 311
–structure 311
HoNiBC
–neutron diffraction 311
–structure 311

$La_{1.85}Sr_{0.15}Cu_{1-y}Ni_yO_4$
–electrical resistivity 331
–microstructure 331
–synthesis 331
$(La_{1-x}Sr_x)_2CuO_{4-\delta}$ single crystals
–irreversibility field 265
–oxygen deficiency 265
–second peak field 265
$La_{2-x-y}Nd_yBa_xCuO_4$
–electrical resistivity 256
–structural phase transition 256
$LnBa_2Cu_3O_{7-\delta}$
–aC-susceptibility 241
–structure 241
–synthesis 241

$RENi_2B_2C$
–antiferromagnetic order 23
–electronic structure 23

$Sr_2(Ca,Sr)_{n-1}Cu_n(CO_3)_{1-x}(BO_3)_xO_y$
–susceptibility under pressure 79

TBCCO films
–sEM 83
–surface properties 83
$(Tl_{2/3}Bi_{1/3})_{0.97}Sr_{1.86}Bi_{0.14}CuO_{5-\delta}$
–charge distribution 111
–hREM 111
–structure 111
–synthesis 111

$Y_{(1-0.2x)}Ba_{(2-0.2x)}K_xCu_3O_y$
–aC susceptibility 230
–critical current density 230
–microstructure 230
–substitution effects 230
$Y_{1-x}Ca_xBa_2Cu_4O_8$
–electrical resistivity 272
–structure 272
–synthesis 272
YBCO films
–sEM 83
–surface properties 83
YBCO
–infrared spectroscopy 298
–optical reflectivity 286
–optical reflectivity 298
$YBa_2Cu_3O_7$ thin films
–flux pinning 147
–irreversibility line 147
–microwave absorption 147
$YBa_2Cu_3O_{7-\delta}$ thick films

–critical current density 164
–flux pinning 164
–platinum addition 164
$YBa_2Cu_3O_{7-\delta}$ thin films
–conductivity 67
–inter-plane complex conductivity 365
–london penetration depth 365
–microwave properties 67
–synthesis 67
$YBa_2Cu_3O_{7-x}$ thin films
–irradiation effect 319
–pair breaking 319
$YBa_2Cu_3O_{7-x}$
–dislocations 15
–flux pinning 15
–grain boundaries 15
–melt-texturing 15